

# WOODFLOORS



#### **MADE IN FRANCE**

Quality, creativity and respect for the environment **p.6** 

#### **COLLECTIONS**

An extended range of 50 shades **p.18** 

#### **GUIDELINES**

Choosing your wood floor well & knowing how to lay **p.68** 




### OUR VISION

**66** Welcome to a world of softness. Real wood flooring is timeless and irreplaceable. Experience Authentic flooring and discover the deep warmth and the irreplaceable aesthetics offered by this floor which becomes increasingly beautiful year after year. Wood floors bring added value to all homes, from the most contemporary to the most romantic. At BerryAlloc, wood floors stand for comfort as well as sensuality, for beauty as well as sustainability. With the respect of environment written in our DNA, we spare no expenses as far as the quality or the origin of wood are concerned. Our involvement in sustainable development is total. An argument which touches everyone today. Just like the irreproachable made in France quality. This choice explains the elegance of our products: materials, aspects, shades, formats of the unique planks, with infinite variations. Treat yourself to the home of your dreams, where space is enhanced by natural wood floors.



06 MADE IN FRANCE





LODGE 32





# CON TENTS

- 6 MADE IN FRANCE
  - Liberty Creativity Authenticity
- 8 SUSTAINABLE DEVELOPMENT
  - The choice of nature
- 10 FLOOR HEATING
  - Discover the absolute comfort of a temperature which is always perfect
- 14 EASY MAINTENANCE

Lacquered or oiled wood floors

18 2018 COLLECTIONS

10 collections, 8 formats, 50 shades

68 COLLECTIONS GUIDE

Snapshot of the collections

80 ACCESSORIES

A wide, easy-to-install range

BERRY = ALLOC°



#### FLOORS TO LAST A LIFETIME

#### MADE IN FRANCE



There is a reason for BerryAlloc wood floors to be guaranteed 30 years. They are made to last, to a very high standard in the heart of the Tronçais forest, in Auvergne. This responsible manufacturing made in the respect of environment, takes into account local economy while focusing on the quality of a Made in France expertise. An internationally recognized quality which symbolizes work well done, expertise and love of wood, passed down from generation to generation. The BerryAlloc wood floors fit both into this tradition and into fashion. On the one hand, there is the very rigorous selection of raw materials. On the other, a revolutionary installation system, the Best Loc Xtreme, without hammer or glue, which enables a secure lock. The BerryAlloc wood floors benefit from the PEFC<sup>™</sup> certification, **A+ certification** and the Parquets de France label. This is more than a sign of recognition. It provides the guarantee of sustainably managed forests, limited transportation and implies the respect of the health of the consumers we are. It is a guarantee of security and quality for a citizen option.









#### WOOD FLOORS MADE TO LAST

#### **DESIGNED TO LAST**

The structure of BerryAlloc wood floors is made to resist. An HDF (High Density Fiberboard) core guarantees excellent stability, a high level of resistance to impact, a true efficiency for floor heating, perfect joints (thanks to very precise manufacturing). The noble wood cover will age well.

#### **GUARANTEES\***

The BerryAlloc wood floors are guaranteed up to 30 years for a normal and residential use. The wood floors with a 3,3 or 3,5 mm wood thickness are guaranteed 30 years (Saga, Royal XL, Noble, Emotions, Cosmo, Lodge & Ecoforest); the wood floors with a 2,5 mm wood thickness are guaranteed 15 years (Palace, Majestic & Ambition).







#### **CONCERNING ESTHETICS**

With the full-glue option, laying your wood floors (made easier by our BestlocX-Treme system) does not need expansion joints. We recommend it for wide spaces above 8m as the result is homogeneous. Otherwise, you should use T-mouldings, which are color coordinated to your wood floors.

Consult our instructions on the fitting conditions on berryalloc.com

\* Please read our guarantee conditions.





VARNISHED OR OILED WOOD FLOORS

#### SIMPLE AND EASY TO MAINTAIN

Prepared in a factory to make your life easier; varnished or oiled wood floors are easily cared for today. The only thing to do is to decide which one to choose, as it is a question of taste and desire.

#### **VARNISHED WOOD FLOORS, THE EFFICIENCY.**

With children at home, it is the guarantee you will not have to spend hours cleaning. Varnished, or lacquered, the wood floor is covered with an invisible layer of waterproof protection film which protects the wood, avoids use and dirt. Glossy or mat, it is your choice. And to maintain the beauty of your floors, we recommend you to take care of them with appropriate products.

#### **OILED WOOD FLOORS, THE SUBTLETY.**

The ones who like nature choose this version that requires a little more care. Covered in a product made with oil and specific components saturating its pores, the wood is protected. It is a subtle finish requiring more care. When it loses its shine, it just needs to be revived with an adapted oil. An operation which needs to be carried out once a year in general in each room (adapted to the trafic).

#### **OUR ADVICE**


To keep the beauty of your floor as long as possible, think of felt pads under the legs of your furniture. Do not forget to have a doormat at the entrance. Two efficient means to avoid scratches. And consult our maintenance records to know the products adapted to your wood floor.

TECHNICAL POINTS
TECHNICAL POINTS

















#### WOOD FLOORS

# NATURAL & AUTHENTIC

#### RESISTANT TO ALL THE TESTS OF LIFE

Our floors are so resistant that they have a 15 to 30 years guarantee on all house applications! The structure of the BerryAlloc wood floors with an HDF core guarantee perfect stability, perfect joints and a great efficiency for floor heating.

#### **AUTHENTIC AND CREATIVE**

10 collections, 5 aspects, 4 choices of wood, 95 references in different formats, we have put all our creativity to the service of the most beautiful wood species for an optimum personalization of your home.

#### SIMPLE TO INSTALL AND SUSTAINABLE

The Best LOC® and Best LOC X-Treme fixation systems for an easy assembly with no tools or glue and the joints have a strong resistance over time (with a lifetime guarantee).

#### **RESPECTFUL OF THE ENVIRONMENT**

The PEFC $^{\text{TM}}$  certification on BerryAlloc wooden floors endorses our respect for nature.

#### **BERRY=ALLOC**°




# Narrow & Long Planks for an absolute elegance. ROYAL XL CREAM

#### PLANK (mm): 1980 L x 130 l x 14 Th.

**PACKAGING** PACK: 8 PLANKS: 2,06 m<sup>2</sup> PALLET: 48 PACKS - 98,84 m<sup>2</sup>

**THICKNESS** WOOD 3,3 mm



# ROYAL XL



**⊗** MANOIR | Brushed Matt Lacquered Parquet: 61000583 Skirting: PL5471 Profile: P1CBN71



 MANOIR | Oiled Parquet: 61000585



RESIDENCE | Brushed Matt Lacquered Parquet: 61000582 Skirting: PL5490 Profile:P1CDE90



MANOIR | Brushed Matt Lacquered



ROYAL XL NATUREL **⊗** CHATEAU | Brushed Matt Lacquered



ROYAL XL **NORMANDIE** RESIDENCE | Oiled



 MANOIR | Brushed+ Oiled arquet: 61000586 Skirting: PL5488 Profile: PLVIH93



ROYAL XL TUNDRA RESIDENCE | Brushed+ Matt Lacquered Parquet: 61000590

OAK PARQUET COLLECTION AVAILABLE IN: ( OILED ( LACQUERED


























# Extra large & Extra long, for an authentic looking floor.

# SAGA & SAGA XL



**(6** HARMONY | Brushed+ Oiled Parquet SAGA : 61000480 SAGA XL : 61000488 Skirting:PL5471 Profile : P1CBN71



SAGA MONT BLANC **()** HARMONY | Oiled Parquet SAGA : 61000482 SAGA XL : 61000490



SAGA **SAINT-GERMAIN ()** HARMONY | Oiled Parquet SAGA: 61000483 SAGA XL: 61000491



 HARMONY | Brushed+ Oiled Parquet SAGA : 61000479 SAGA XL : 61000487 Skirting: PL5449 Profile : P1CVM49




SAGA NORMANDIE (§) HARMONY | Oiled Parquet SAGA : 61000481 SAGA XL : 61000489



**()** HARMONY | Brushed+ Oiled





Parquet SAGA : 61000485 SAGA XL : 61000493 Skirting: 63000749 Profile : 63000750



SAGA BELLEVILLE **(** HARMONY | Brushed+ Oiled Parquet SAGA : 61000484 SAGA XL : 61000492 Skirting: PL5488 Profile : P1VIH93

OAK PARQUET COLLECTION AVAILABLE IN: (6) OILED

















XL: 1 980 L x 187 I x 14 Th.


PLANK (mm): 1 180 L x 187 I x 14 Th.


**PACKAGING** PACK: 8 PLANKS: 1,76 m<sup>2</sup>

XL 40 PACKS - 88,86 m<sup>2</sup>


**XL** 6 PLANKS : 2,22 m<sup>2</sup> PALLET: 40 PACKS - 70,61 m<sup>2</sup>


**THICKNESS** WOOD 3,3 mm






MIX & MATCH SAGA & SAGA XL PLANKS FOR A COMTEMPORARY EFFECT







AN OILED FINISH FOR EXCEPTIONAL SOFTNESS

# LODGE

Oak Parquet Collection



LODGE EVEREST RUSTIC │ Deep brushed Natural Oil Parquet: LDCDDEVERH



LODGE GOBI **(a)** AGED | Hand Scraped Natural Oil Parquet: 61000642



LODGE SONORA Parquet: 61000641



LODGE PATAGONIA **(a)** AGED | Hand Scraped Natural Oil Parquet: 61000643



Parquet: LDCDDFUJIH



**(a)** AGED | Hand Scraped Natural Oil

LODGE ANAPURNA Parquet: LDCDDANAPH



LODGE KILIMANDJARO **●** RUSTIC | Deep brushed Natural Oil



Parquet: LDCDDKILIH


OAK PARQUET COLLECTION AVAILABLE IN: (6) OILED

PLANK (mm): 1900 L x 190 w x 15 Th.

PACKAGING PACK: 6 PLANKS: 2,16 m<sup>2</sup> PALLET: 35 PACKS: 75,81 m<sup>2</sup> THICKNESS WOOD 3,5 mm



**RUSTIC:** PINE CORE AGED: PLYWOOD CORE




















A RUSTIC WOODEN FLOOR REMINISCENT OF NATURE AND THE GREAT OUTDOORS



# EMOTIONS



EMOTIONS AMBER Sawcut Matt Lacquered Parquet: N8CTVBAMBM



EMOTIONS JOY Sawcut Matt Lacquered



EMOTIONS ALLURE Sawcut Matt Lacquered Parquet: N8CTVBALLM Profile: P1VIH93

38



EMOTIONS LOULOU Sawcut Matt Lacquered Parquet: N8CTVBLOUM Profile: P1CGP63



EMOTIONS **LOLITA** Sawcut Matt Lacquered



EMOTIONS FLOWER Sawcut Matt Lacquered Parquet: N8CTVBFLOM

OAK PARQUET AVAILABLE IN: **(S)** LACQUERED

PLANK (mm): 1 180 L x 164 w x 14 Th.

**PACKAGING** 

PACK: 8 PLANKS - 1,54 m<sup>2</sup> PALLET: 66 PACKS - 102,17 m<sup>2</sup>



3,3 mm


























THE COLOURS ARE
ENHANCED BY THE SAW CUTS
AND SCRUBBED FINISH

# COSMO



COSMO **ASH MILK** Brushed Matt Lacquered Parquet Cosmo 164: N9FYBMIM



**⊗** Matt Lacquered Parquet COSMO 164: N9NOBUM COSMO 110 : 61000068



COSMO ASH CREAM **⊗** Brushed Matt Lacquered



COSMO WALNUT NATUREL Patina Lacquered Parquet COSMO 110: H5NO5PQ Skirting: PL5477 Profile: P1NP77



COSMO ASH CHOCO Brushed Matt Lacquered Parquet Cosmo 164: N9FRBRM




COSMO WALNUT COFFEE Matt Lacquered Parquet COSMO 164 : N9NOM COSMO 110 : 61000067 Skirting: PL5477 Profile: P1NP77


WALNUT - ASH PARQUET COLLECTION AVAILABLE IN: S LACQUERED

COSMO 164 (mm): 1 180 L x 164 w x 14 Th. **NEW** > COSMO 110: 1 180 L x 110 w x 14 Th. PACKAGING

PACK: **C164:** 8 PLANKS - 1,54 m<sup>2</sup> C110: 8 PLANKS - 1,03 m<sup>2</sup>

PALLET: C164: 66 PACKS - 102,17 m<sup>2</sup> C110: 99 PACKS - 102,80 m<sup>2</sup>


























ASH FOR NORDIC SIMPLICITY & PEFC<sup>TM</sup>
WALNUT FOR UNRIVALLED FINESSE




# **EVERYBODY** WILL FIND THE PERFECT FLOOR FOR THEM!





#### PLANK (mm): 1180 L x 164 w x 14 Th. **PACKAGING** PACK: 8 PLANKS - 1,54 m<sup>2</sup> PALLET: 66 PACKS - 102,17 m<sup>2</sup>

**THICKNESS** WOOD 3,3 mm



## NOBLE

Oak Parquet Collection




NOBLE POLAR WHITE **⊗** MANOIR | Patina Lacquered Parquet: N3CYBP Skirting: PL5460 Profile: P1CBP60




NOBLE WHITENED RESIDENCE │ Brushed Oiled Parquet: N4CRBH Skirting: PL5483 Profile: P1BLH83



NOBLE WHITE SAND **⊗** CHATEAU | Brushed Matt Lacquered Parquet: N1CABMM Skirting: PL5471 Profile: P1CBN71



**⊗** MANOIR ∣ Brushed Matt Lacquered Parquet: N3CYBUM Skirting: PL5471 Profile: P1CBN71 Exist in SAGA 187x1180x14mm: 61000552



NOBLE MINERAL GREY **●** RESIDENCE | Brushed Oiled Parquet: N4CRGMH Skirting: PL5485 Profile: P1GMH85



NOBLE LIGHT WHITE - MANOIR │ Brushed Oiled Parquet: N4CYBVH Skirting: PL5484 Profile: P1BVH84



**⊗** MANOIR | Brushed Matt Lacquered Parquet: N3CYBDM Skirting: PL5490 Profile: P1CDE90



NOBLE NATURAL **●** MANOIR | Brushed Oiled Parquet: N4CYNH Skirting: PL5449 Profile: P1CP76



NOBLE EXCLUSIVE GREY **⊗** MANOIR | Brushed Matt Lacquered Parquet: N3CYGEM Skirting: PL5468 Profile: P1CM68 Exist in SAGA SAGA 187x1180x14mm: 61000551

OAK PARQUET COLLECTION AVAILABLE IN: (6) OILED - (8) LACQUERED























# NOBLE

Oak Parquet Collection



NOBLE NATURAL **⊗** CHATEAU ∣ Brushed Matt Lacquered Parquet: N1CAQ5Q Skirting: PL5449 Profile: P1CVM49



 MANOIR │ Brushed Natural Oil Parquet: N1CYBRAPH Profile: P1PEA03




**⊗** MANOIR ∣ Brushed Matt Lacquered Parquet: N1CYQ5Q Skirting: PL5449 Profile: P1CVM49 Exist in SAGA 187x1180x14mm: 61000550




NOBLE TUNDRA RESIDENCE | Brushed Matt Lacquered Parquet: 61000591



NOBLE NATURAL **⊗** RESIDENCE | Brushed Matt Lacquered Parquet: N1CRQ5Q Skirting: PL5449 Profile: P1CVM49



NOBLE BURGUNDY **(a)** RESIDENCE | Brushed Natural Oil Parquet: N1CRBBURH Profile: P1BER98




OAK PARQUET COLLECTION AVAILABLE IN: (6) OILED - (8) LACQUERED

PLANK (mm): 1180 L x 164 w x 14 Th.

**PACKAGING** PACK: 8 PLANKS - 1,54 m<sup>2</sup>

PALLET: 66 PACKS - 102,17 m<sup>2</sup>

**THICKNESS** WOOD 3,3 mm




























# **AMBITION**

Oak Parquet Collection -



AMBITION EDEN Sawcut Natural Oil Parquet: 61000352



AMBITION NIRVANA Sawcut Oiled Parquet: 61000356




AMBITION EUPHORIA Sawcut Natural Oil Parquet: 61000351



AMBITION **ENVY** Sawcut Oiled Parquet: 61000359



AMBITION SHANGRI-LA Sawcut Matt Lacquered Parquet: 61000353



AMBITION ETERNITY Sawcut Oiled Parquet: 61000357




AMBITION BLISS Sawcut Oiled




AMBITION **HEAVEN** Sawcut Matt Lacquered




OAK PARQUET COLLECTION AVAILABLE IN: (6) OILED - (8) LACQUERED



PACK: 8 PLANKS - 1,98 m PALLET: 50 PACKS - 99,12 m THICKNESS WOOD 2,5 mm


























A SUBTLE BLEND OF PATTERN AND COLOUR








THE SAW CUT FINISH CREATES
A UNIQUE LOOKING FLOOR

# Express Yourself... PALACE **BELLEVILLE**

PLANK (mm): 1180 L X 130 W X 11 Th.

**PACKAGING** PACK: 8 PLANKS - 1,22 m<sup>2</sup> PALLET: 88 PACKS - 107,99 m<sup>2</sup> THICKNESS WOOD 2,5 mm



# PALACE

- Oak Parquet Collection -



**⊗** MANOIR ∣ Brushed Matt Lacquered Parquet: P1CYBUM Skirting: PL5471 Profile: P1CBN71



PALACE **MONT BLANC** Parquet: 61000588



PALACE CREAM RESIDENCE | Brushed Matt Lacquered Parquet: P1CRBDM Skirting: PL5490 Profile: P1CDE90



PALACE NATURAL CHATEAU │ Brushed Matt Lacquered



PALACE NATURAL 



PALACE NATURAL MANOIR 
 □ Brushed Matt Lacquered



PALACE NORMANDIE RESIDENCE │ Oiled Parquet: 61000589



PALACE **BELLEVILLE** Parquet: 61000587 Skirting: PL5488 Profile: PLVIH93























# ECOFOREST



ECOFOREST BLUSH **( )** COUNTRY | Brushed Natural Oil Parquet: E1C3YBRAPH Profile: P1PEA03



 NATURAL │ Brushed Oiled Parquet: E1C3UBPUH Skirting: PL5471 Profile: P1CBN71



ECOFOREST MILAN **⊗** COUNTRY | Brushed Matt Lacquered Parquet: E1CYBMIM Skirting: PL5495 Profile: P1MIL95



ECOFOREST GIRLY **(6)** COUNTRY | Brushed Natural Oil



ECOFOREST NATURAL WHITE **⊗** COUNTRY | Brushed Patina Lacquered



ECOFOREST PEARL GREY **⊗** COUNTRY | Brushed Patina Lacquered



ECOFOREST NATURAL -**⊗** ELEGANCE | Satin Lacquered Parquet: E1C3L5Q Skirting: PL5440 Profile: P1CH40



ECOFOREST NATURAL **⊗** NATURAL | Brushed Matt Lacquered Parquet: E1CUQ5Q Skirting: PL5449 Profile: P1CVM49





ECOFOREST NATURAL -**⊗** COUNTRY | Brushed Matt Lacquered Parquet: E1CYQ5Q Skirting: PL5449 Profile: P1CVM49

**⊗** COUNTRY | Satin Lacquered Parquet: E1C3Y5Q Skirting: PL5440 Profile: P1CH40























PLANK (MM): 1180 L X 210 W X 14 TH.

(3 strips with 70 mm)

**PACKAGING** 

PACK: 8 PLANKS - 1,98 m<sup>2</sup> PALLET: 50 PACKS - 99,12 m<sup>2</sup> **THICKNESS** WOOD 3,3 mm





# MAJESTIC

- Oak Parquet Collection



MAJESTIC NATURAL WHITE

COUNTRY | Brushed Patina Lacquered

Parquet: 18CYBNP Skirting: PL5471 Profile: P1CBN71



MAJESTIC WHITE

COUNTRY | Brushed Matt Lacquered

Parquet: 18CYBBM Skirting: PL5450 Profile: P1CBM50



MAJESTIC SOFT GREY

© COUNTRY | Brushed Matt Lacquered

Parquet 18CYRLM | Skirting DI 5469 | Drofile DICM69



MAJESTIC CAPPUCCINO

COUNTRY | Brushed Matt Lacquered

Parquet: 18CYSWM Skirting: PL5494 Profile: P1CCA94



MAJESTIC NATURAL

NATURAL | Brushed Matt Lacquered

Parquet: 18CUBRM Skirting: PL5449 Profile: P1CVM49



MAJESTIC NATURAL

COUNTRY | Satin Lacquered

Parquet: 18C5G Skirting: PL5440 Profile: P1CH40

OAK PARQUET COLLECTION AVAILABLE IN: **(S)** LACQUERED

**PLANK (mm)**: 1 180 L x 210 w x 11 Th. (3 strips with 70 mm)


PACKAGING

PACK: 8 PLANKS - 1,98 m<sup>2</sup>

PALLET: 50 PACKS - 99,12 m<sup>2</sup>











Creating space for the imagination!









MAJESTIC NATURAL WHITE







## The Selection

10 Best Seller Colours available in our 5 Main Collections

PALACE

Narrow & Thin Planks For renovation

**NOBLE** Standard Planks

The good choice

Large Planks Softness

SAGA

SAGA XL Large & Long Planks

Extravagant

ROYAL XL

Narrow & Long Planks Elegance



**NATURAL CHATEAU** Brushed Matt Lacquered > PALACE / NOBLE / ROYAL XL



**NATURAL MANOIR** Brushed Matt Lacquered > PALACE / NOBLE / SAGA / ROYAL XL



**CREAM** Brushed Matt Lacquered > PALACE / NOBLE / ROYAL XL



**NORMANDIE** Oiled > PALACE / SAGA / SAGA XL / ROYAL XL



**PURE** Brushed Matt Lacquered > PALACE / NOBLE / SAGA / ROYAL XL



**MONT BLANC** Oiled > PALACE / SAGA / SAGA XL / ROYAL XL



**BELLEVILLE** Brushed+ Oiled > PALACE / SAGA / SAGA XL / ROYAL XL




**EXCLUSIVE GREY** Brushed Matt Lacquered > NOBLE / SAGA



**BLUSH** Brushed Natural Oiled > NOBLE



**TUNDRA** S Brushed+ Matt Lacquered > NOBLE / ROYAL XL



Heavy domestic


Classe 23


#### SINGLE PLANK WOOD FLOOR

#### **BERRY=ALLOC**°










#### 3 STRIPS WOOD FLOOR










#### **SURFACE** FINISHES



#### LACQUERED PARQUET

Our different lacquers, which have a high content of aluminium oxide insure the parquet an extreme wear resistance and a easy maintenance.



#### **SOFT TOUCH®:**

A new generation varnish that provides a very silky touch sensation and exceptional surface finish. You can find the matt varnish look in the Emotions range.



**ULTIMTEC®:** Ultimtec® varnish establishes new standards for durability and strength. Thanks to its conclusive formulation of molecular nanotechnology, wear and scratch resistance (over 15,000 rpm Taber) has improved dramatically. Available in 3 finishes: satin, patina or matt can be found in the Ecoforest, Royal XL, Cosmo & Noble ranges.



#### **MASTERRESIST®**

Applied in 6 coats, this varnish provides a thick enough layer to ensure the protection and easy maintenance of your floor. It offers a beautiful satin, patina or matt look that you can find in the Palace, Ambition and Majestic ranges.



#### **OILED PARQUET**



#### **OILED FINISH**

The parquet is impregnated with a top quality oil to nourish the material and reinforce the protection. Can be found in the Ambition, Royal XL, Palace, Noble, Saga and Ecoforest ranges.



#### NATURAL OIL FINISH

The parquet is impregnated with high quality natural oil based on linseed oil for an authentic and natural appearance. See this in the Lodge, Noble, Ambition and Ecoforest ranges.

#### **DECORATIVE FINISHES**

#### **RUSTIC CRACKS**

#### **AGED**

**SAWCUT** 














Made using traditional know-how, this finish with deep brushing and grooves gives the pronounced character of an old parquet floor.

Looks like an original wooden floor renovated by hand. To get this authentic effect, the Natural color of the oak is aged structured effect provides a subtle and the surface is manually handscraped. finish to the board.


For a unique finish, the wood surface displays a sawdust pattern. This

#### NO NEED FOR TOOLS OR GLUE



#### **BEST LOC® X-TREME**

Installation is even easier, simpler and faster (up to 30% faster compared to Best Loc®). The planks are installed one after another, by simply folding them into place. No tools or glue needed.





#### **BEST LOC®**

> Angle-angle installation method
The quality of its profile and the angular locking (length/width)
makes it easy to lay without tools, glue or mallet.



OUR INSTALLATION SYSTEMS ARE REMARKABLY **STRONG**, AND SO **DURABLE** THAT BEST LOC® AND BEST LOC® X-TREME COME WITH A **LIFETIME GUARANTEE**.

#### TRADITIONAL INSTALL ATION



#### **TONGUE & GROOVE**

> Traditional glued tongue and groove installation.

The boards are made with a part called the « groove » and a part called the « tongue » which is held together with a vinyl adhesive.

#### INSTALLATION BASIC RULES



- Before laying, let the planks lie flat (closed packs) in the room for 24 to 48 hours.
- Make sure the supporting surface is clean, even, firm and dry.
- Mix the planks from several packs in one production batch, so that the overall appearance of the floor is balanced.
- Our parquets may be laid on a floating or glued-down base.
- Our parquet is suitable for laying over a low-temperature, heated floor (max 28°C).
   "Glued-down" laying ensures that the under-floor
- "Glued-down" laying ensures that the under-floor heating is on effected.
- For the fitting over cooled floors, please contact our technical service for advice.
- Do not lay BerryAlloc parquet in damp rooms! Water is the N°1 enemy of wood.
- Please read the installation instructions carefully before starting to lay your wood floor.

#### MAINTENANCE OF PARQUET

- You just need to sweep or vacuum, dust or wipe with a cloth. But, be careful! If you are using a floor cloth, make sure it's not too wet: water and wood do not get along...
- If your BerryAlloc parquet should start to show signs of fatigue and lose its vividness, simply rejuvenate it! Clean it very carefully and then apply a grease-remover. Finally, apply a renovating coat. This will restore its splendour, enhanced by the patina of the years.
- Scratches can be easily repaired by applying wax sticks matching to the colour of the wood.

#### FOR LACQUERED PARQUET, WE RECOMMEND

#### **GREASE REMOVER**

BLANCHON super-active cleaner Remover BONA Parquet Cleaner OVERMAT

#### RENOVATING COAT

BLANCHON renovator D 509 BONA Polish Remover OVERMAT

#### FOR OILED PARQUET

#### NATURAL SOAP BY BERRYALLOC (supplied in 1 L bottles)

BerryAlloc 100% vegetable natural soap is used for regular deep cleaning of oiled parquet. Powerful, it preserves the natural appearance and beauty of the parquet and is improving its protection.

#### MAINTENANCE OIL BY BERRYALLOC (supplied in 1L bottles)

Oil and wax-based BerryAlloc maintenance oil protects the parquet and preserves the natural, warm appearance of the oak. Gives protection and patina to the parquet. Oil ready for use.


#### **COLOURED OILS BY BERRYALLOC** (supplied as 250ml / option hardener 50 ml)

BerryAlloc coloured oils are used to repair oiled parquets easily and effectively. There are a number of shades to match the colours of our collection of oiled parquets. They may be mixed with our hardener for faster drying. They may also be used for full renovation, or may be applied to bare parquet boards. (see instructions for use).

#### **UNDERLAY OR GLUE**

#### THE INDISPENSABLE ACCESSORY FOR YOUR WOOD FLOOR

Especially to provide the optimum sound-proofing for the room itself and the rooms below.



#### **EXCELLENCE+ UNDERLAY**

Extra heavy for extra sound insulation•

- Includes an adhesive strip
- Great noise insulation (-19 dB), both in the room and in rooms below
- Available in 10m<sup>2</sup> rolls (as per DTU511 standard)

Code: SEPLUS10



#### BERRYALLOC ADHESIVE

For full bonding of your parquet:

- Ideal floor heating
- Reduces footstep noise
- No water, no solvent, fast setting, elastic hardening
- CTBA NF B 54008 certification
- Consumption: 750-1000g/m<sup>2</sup> depending on the fixture
- Available in boxes of 3 packs of 6kg (18kg) with dispenser

Code: 9310-0024

#### **SKIRTINGS**

#### WHITE SKIRTINGS TO BE PAINTED IN THE COLOUR OF THE WALL OR WOOD VENEER MATCHING THE COLOUR OF YOUR WOOD FLOOR



WHITE SKIRTING 100 MM 2400 x 14 x 100 mm (L x W x H) Code: 9372-3045 (4pc/pack)



MODERN SKIRTING 80 MM
A simple design, for a contemporary decorative touch. 2400 x 14 x 80 mm (L x W x H)



#### BEADING

The essential fitting to link an existing skirting to a new floor, and also to hide the expansion joint.  $2400 \times 14 \times 14 \text{ mm (L} \times W \times H)$ 

#### **PROFILES & CONNECTIONS**

**3 in 1 Profile!** Our 3-in-1 profile is the ideal solution for transition between two types of floor covering, to hide a difference in height or an expansion joint. Supplied with a cutting tool and fixing bar.

930mm long x 45mm (min.) or 68mm (max.) wide 2150mm long x 45mm (min.) or 68mm (max.) wide



SUPPLIED WITH
CUTTING TOOL AND FIXING
BAR



END-PROFILE
For a perfect finish around the edge of your floor, or to ensure the transition with a sliding frame, a door threshold, etc.



REDUCER
A reducer provides a
perfect link between your
new wood floor and a lower
floor (tiling, carpet, etc.).



**T-PROFILE**Provide a perfect transition between two planks, and hide the expansion joint.

BerryAlloc has the right flooring for all domestic and public spaces. In addition to natural wood floors, BerryAlloc also offers a complete range of laminates and vinyl flooring, and a wide choice of wall coverings. Discover the full BerryAlloc range at:

#### www.berryalloc.com

Non-contractual document. Printing techniques may cause small variations in the colours shown. BerryAlloc reserves the right to modify its range without notice. Printing 03/18. Limited stocks available.









BerryAlloc NV, Industrielaan 100 8930 MENEN - BELGIUM

Tel. +32 56 52 84 80 - Fax. +32 56 52 84 90 info@berryalloc.com











